


# SNU 4541.664A Program Analysis

## Note 5

Prof. Kwangkeun Yi





- by structural operational semantics
- by evaluation context semantics
- by transition semantics

$$\begin{array}{l} C \rightarrow \text{skip} \\ | x := E \\ | C ; C \\ | \text{if } E C C \\ | \text{while } E C \\ E \rightarrow n \quad (n \in \mathbb{Z}) \\ | E + E \\ | - E \end{array}$$

- by evaluation context semantics
- by abstract machine semantics

$$\begin{array}{l} C \rightarrow \text{skip} \\ \quad | \quad x := E \\ \quad | \quad C ; C \\ \quad | \quad \text{if } E C C \\ \quad | \quad \text{while } E C \\ \quad | \quad \text{local } x := E \text{ in } C \\ E \rightarrow n \quad (n \in \mathbb{Z}) \\ \quad | \quad E + E \\ \quad | \quad - E \end{array}$$

$$\begin{array}{l}
 C \rightarrow \text{skip} \\
 \quad | \quad x := E \quad | \quad *x := E \\
 \quad | \quad C ; C \\
 \quad | \quad \text{if } E \ C \ C \\
 \quad | \quad \text{while } E \ C \\
 \quad | \quad \text{local } x := E \ \text{in } C \\
 E \rightarrow n \quad (n \in \mathbb{Z}) \\
 \quad | \quad E + E \\
 \quad | \quad - E \\
 \quad | \quad x \quad | \quad *x \quad | \quad \&x
 \end{array}$$

$$\begin{array}{l} C \rightarrow \text{skip} \\ \quad | \quad x := E \\ \quad | \quad C ; C \\ \quad | \quad \text{if } E C C \\ \quad | \quad \text{while } E C \\ \quad | \quad \text{raise} \\ \quad | \quad \text{try } C \text{ handle } C \\ E \rightarrow x \mid n \quad (n \in \mathbb{Z}) \\ \quad | \quad E + E \\ \quad | \quad - E \end{array}$$

# 의미는 아직도 고정점

- 한 실행과정:  $M \vdash C \Rightarrow M'$ 의 증명 또는  $(M, C) \rightarrow (M_1, C_1) \rightarrow \dots$
- $\llbracket C \rrbracket M = \text{fix } \lambda t. (M, C) \sqcup (t \rightarrow (M_{i+1}, C_{i+1}))$   
where  $t = \dots \rightarrow (M_i, C_i)$   
 $\quad \wedge (M_i, C_i) \rightarrow (M_{i+1}, C_{i+1})$
- $\llbracket C \rrbracket = \text{fix } \lambda f. \lambda M. (M, C) \sqcup (f(M) \rightarrow (M_{i+1}, C_{i+1}))$   
where  $f(M) = \dots \rightarrow (M_i, C_i)$   
 $\quad \wedge (M_i, C_i) \rightarrow (M_{i+1}, C_{i+1})$



$$\begin{aligned}
 \llbracket C \rrbracket M &= \text{fix } \lambda T. \\
 &\quad \{(M, C)\} \sqcup \\
 &\quad \{t \rightarrow (M_{i+1}, C_{i+1}) \mid \\
 &\quad \quad t \in T, t = \dots \rightarrow (M_i, C_i), (M_i, C_i) \rightarrow (M_{i+1}, C_{i+1})\}
 \end{aligned}$$

$$\llbracket C \rrbracket = \text{fix } \dots$$

$$\begin{aligned}
 \llbracket C \rrbracket M &= \text{fix } \lambda S. \\
 &\quad \{(M, C)\} \sqcup \\
 &\quad \{(M_{i+1}, C_{i+1}) \mid \\
 &\quad \quad (M_i, C_i) \rightarrow (M_{i+1}, C_{i+1}), (M_i, C_i) \in S\}
 \end{aligned}$$

$$\llbracket C \rrbracket = \text{fix } \dots$$